



### Certificate of Analysis

**Company:** Lindies Kitchen  
76 Stafford Ave  
Morrisville, VT 05672

**Sample ID:** Red Cube  
**Lot:** Cubes Batch 3  
**Matrix:** Gummy

**Report Date:** 11/1/2022  
**Date Analyzed:** 10/27/2022

**Customer ID:** 210106-01

**Date Sampled:** N/A

**Analyst:** CF

**Grower License #:** #5000000907

**Date Received:** 10/17/2022

**Report ID:** C221017AW


### Residual Solvents Summary

Residual Solvent	LOQ (µg/g)	Results (µg/g)
1,2-Dichloroethane	0.002	<LOQ
Benzene	0.003	<LOQ
Chloroform	0.006	<LOQ
Methylene Chloride	0.005	<LOQ
Trichloroethylene	0.001	<LOQ
Acetone	0.005	<LOQ
Acetonitrile	0.002	<LOQ
Propane	0.005	<LOQ
Butane	24.000	<LOQ
Ethanol	0.036	9.98
Ethyl acetate	0.014	<LOQ
Ethyl Ether	0.225	<LOQ
Heptane	1.500	<LOQ
Hexane	0.023	<LOQ
Isopropyl Alcohol	0.018	<LOQ
Methanol	0.009	73.16
Pentane	22.500	<LOQ
Toluene	0.005	<LOQ
Total Xylenes	0.011	<LOQ

LOQ = The lowest quantity that this method can reliably detect. Any residual solvent that was not detected is assumed to be less than the stated LOQ (<LOQ).

Residual Solvent Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. M.  
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)